Esters of Long-chain, Hydroxy Aliphatic Acids

The esters listed in Table I were prepared by the azeotropic method previously reported. 9,10-Dihydroxyoctadecyl 12-hydroxystearate was prepared from 9,10-dihydroxyoctadecanol, m. p. 84.5-86°, and 12-hydroxystearic acid, m. p. 80-81°, prepared from hydrogenated castor oil. 9,10-Dihydroxyoctadecyl 9,10,12-trihydroxystearate was prepared from 9,10-dihydroxyoctadecanol and 9,10,12-trihydroxystearic acid, m. p. 110°. Tetrahydrofurfuryl 9,10-dihydroxystearate was prepared from hydrofurfuryl 9,10-dihydroxystearate was prepared from tetrahydrofurfuryl alcohol, b. p. 115.7° (100 mm.),

- (1) Swern and Jordan, This Journal, 67, 902 (1945).
- (2) Swern, Findley and Scanlan, ibid., 66, 1925 (1944).
- (3) Scanlan and Swern, ibid., 62, 2309 (1940).

and 9,10-dihydroxystearic acid, m. p. 95°. The crude esters were obtained in quantitative yields and were hard, waxy solids. The purified products were white, odorless solids with the same solubility characteristics as the esters previously reported.1,5

- (4) Swern, Billen, Findley and Scanlan, ibid., 67, 1786 (1945).
- (5) Swern, Jordan and Knight, THIS JOURNAL, 68, 1673 (1946).

EASTERN REGIONAL RESEARCH LAB-ORATORY, PHILADELPHIA 18, PA., ONE
OF THE LABORATORIES OF THE BUREAU
DANIEL SWERN OF THE LABORATORIES OF THE BUREAU OF AGRICULTURAL AND INDUSTRIAL CHEMISTRY, AGRICULTURAL RESEARCH ADMINISTRATION,

UNITED STATES DEPARTMENT OF AGRICULTURE

TABLE I

ESTERS OF LONG-CHAIN, HYDROXY ALIPHATIC ACIDS

ESTERS OF BOILD CLEBT.										
	Yield.4		Saponification no. Calcd. Found		Carbonb		Hydrogenb			
Ester	Formula	%	M. p., °C.	Calcd.	Found	Calcd.	Found	Calcd.	Found	
9,10-Dihydroxyoctadecyl 12-hydroxystearate	C ₃₆ H ₇₂ O ₅	60	86-87	95.9	95.0	73.9	73.6	12.4	11.7	
9,10-Dihydroxyoctadecyl 9,10,12-trihydroxy-	CHO	40	103.5-104.2	90.9	90.2	70.1	70.5	11.8	11.7	
stearate Tetrahydrofurfuryl 9,10-dihydroxystearate	C25H44O5								11.3	
1 cuanyurorurruryi 5,10-umyuroxystearate	- 20		0.505 11				mada 1	w Mai	er Tane	

^e Purified products after at least three crystallizations from 95% ethanol. ^b Analyses were made by Mary Jane Welsh of this Laboratory.